


CLAIMS

1. A compound according to formula I



wherein

X_3 and X_4 are selected from N and C, such that when X_3 is N, X_4 is C and when X_3 is C, X_4 is N;

P is selected from aryl and heteroaryl;

if $m = 1$ then R^1 is attached to P via a carbon atom on ring P at the meta-position of the ring P relative to the attachment point of P at X^3 , and if $m = 2$ then R^1 is attached to P via carbon atoms on ring P at the 2-, and 5-positions of the ring P;

R^1 is selected from the group consisting of hydroxy, halo, nitro, C_{1-6} alkylhalo, OC_{1-6} alkylhalo, C_{1-6} alkyl, OC_{1-6} alkyl, C_{2-6} alkenyl, OC_{2-6} alkenyl, C_{2-6} alkynyl, OC_{2-6} alkynyl, C_{0-6} alkyl C_{3-6} cycloalkyl, OC_{0-6} alkyl C_{3-6} cycloalkyl, C_{0-6} alkylaryl, OC_{0-6} alkylaryl, CHO, $(CO)R^5$, $O(CO)R^5$, $O(CO)OR^5$, $O(CNR^5)OR^5$, C_{1-6} alkyl OR^5 , OC_{2-6} alkyl OR^5 , C_{1-6} alkyl $(CO)R^5$, OC_{1-6} alkyl $(CO)R^5$, C_{0-6} alkyl CO_2R^5 , OC_{1-6} alkyl CO_2R^5 , C_{0-6} alkylcyano, OC_{2-6} alkylcyano, C_{0-6} alkyl NR^5R^6 , OC_{2-6} alkyl NR^5R^6 , C_{1-6} alkyl $(CO)NR^5R^6$, OC_{1-6} alkyl $(CO)NR^5R^6$, C_{0-6} alkyl $NR^5(CO)R^6$, OC_{2-6} alkyl $NR^5(CO)R^6$, C_{0-6} alkyl $NR^5(CO)NR^5R^6$, C_{0-6} alkyl SR^5 , OC_{2-6} alkyl SR^5 , C_{0-6} alkyl $(SO)R^5$, OC_{2-6} alkyl $(SO)R^5$, C_{0-6} alkyl SO_2R^5 , OC_{2-6} alkyl SO_2R^5 , C_{0-6} alkyl $(SO_2)NR^5R^6$, OC_{2-6} alkyl $(SO_2)NR^5R^6$, C_{0-6} alkyl $NR^5(SO_2)R^6$, OC_{2-6} alkyl $NR^5(SO_2)R^6$, C_{0-6} alkyl $NR^5(SO_2)NR^5R^6$, OC_{2-6} alkyl $NR^5(SO_2)NR^5R^6$, $(CO)NR^5R^6$, $O(CO)NR^5R^6$, NR^5OR^6 , C_{0-6} alkyl $NR^5(CO)OR^6$, OC_{2-6} alkyl $NR^5(CO)OR^6$, SO_3R^5 and a 5- or 6-membered ring containing one or more atoms independently selected from the group consisting of C, N, O and S;

X^1 is selected from the group consisting of C_{2-3} alkyl, C_{2-3} alkenyl, NR^3 , O, S, CR^3R^4 , SO, SO_2

X^2 is selected from the group consisting of a bond, CR^3R^4 , O, S, NR^3 , SO, SO_2

R^3 and R^4 are independently selected from a group consisting of hydrogen, hydroxy, C_{1-6} alkyl, C_{0-6} alkylcyano, oxo, $=NR^5$, $=NOR^5$, C_{1-4} alkylhalo, halo, C_{1-4} alkyl C_{3-7} cycloalkyl, C_{3-7} cycloalkyl, $O(CO)C_{1-4}$ alkyl, $(CO)C_{1-4}$ alkyl, C_{1-4} alkyl $(SO)C_{0-4}$ alkyl, C_{1-4} alkyl $(SO_2)C_{0-4}$ alkyl, $(SO)C_{0-4}$ alkyl, $(SO_2)C_{0-4}$ alkyl, OC_{1-4} alkyl, C_{1-4} alkyl OR^5 and C_{0-4} alkyl NR^5R^6 ;

Q is either selected from triazole, piperazine, and imidazole, or else Q is any other 4-, 5-, 6-, or 7-membered heterocyclic ring containing one or more heteroatoms selected from N, O and S and is fused to a triazole ring;

R² is selected from the group consisting of hydroxy, C₀₋₆alkylcyano, =NR⁵, =O, =NOR⁵, C₁₋₄alkylhalo, halo, C₁₋₆alkyl, C₃₋₆cycloalkyl, C₀₋₆alkylaryl, C₀₋₆alkylheteroaryl, C₀₋₆alkylcycloalkyl, C₀₋₆alkylheterocycloalkyl, OC₁₋₄alkyl, OC₀₋₆alkylaryl, O(CO)C₁₋₄alkyl, (CO)OC₁₋₄alkyl, C₀₋₄alkyl(S)C₀₋₄alkyl, C₁₋₄alkyl(SO)C₀₋₄alkyl, C₁₋₄alkyl(SO₂)C₀₋₄alkyl, (SO)C₀₋₄alkyl, (SO₂)C₀₋₄alkyl, C₁₋₄alkylOR⁵, C₀₋₄alkylNR⁵R⁶ and a 5- or 6-membered ring containing one or more atoms independently selected from C, N, O and S, which ring may optionally be fused with a 5- or 6-membered ring containing one or more atoms independently selected from the group consisting of C, N and O and wherein said ring and said fused ring may be substituted by one or more A; and
 any C₁₋₆alkyl, aryl, or heteroaryl defined under R¹, R² and R³ may be substituted by one or more A; and

A is selected from the group consisting of hydrogen, hydroxy, halo, nitro, oxo, C₀₋₆alkylcyano, C₀₋₄alkylC₃₋₆cycloalkyl, C₁₋₆alkyl, -OC₁₋₆alkyl, C₁₋₆alkylhalo, OC₁₋₆alkylhalo, C₂₋₆alkenyl, C₀₋₃alkylaryl, C₀₋₆alkylOR⁵, OC₂₋₆alkylOR⁵, C₁₋₆alkylSR⁵, OC₂₋₆alkylSR⁵, (CO)R⁵, O(CO)R⁵, OC₂₋₆alkylcyano, OC₁₋₆alkylCO₂R⁵, O(CO)OR⁵, OC₁₋₆alkyl(CO)R⁵, C₁₋₆alkyl(CO)R⁵, NR⁵OR⁶, C₀₋₆NR⁵R⁶, OC₂₋₆alkylNR⁵R⁶, C₀₋₆alkyl(CO)NR⁵R⁶, OC₁₋₆alkyl(CO)NR⁵R⁶, OC₂₋₆alkylNR⁵(CO)R⁶, C₀₋₆alkylNR⁵(CO)R⁶, C₀₋₆alkylNR⁵(CO)NR⁵R⁶, O(CO)NR⁵R⁶, C₀₋₆alkyl(SO₂)NR⁵R⁶, OC₂₋₆alkyl(SO₂)NR⁵R⁶, C₀₋₆alkylNR⁵(SO₂)R⁶, OC₂₋₆alkylNR⁵(SO₂)R⁶, SO₃R⁵, C₁₋₆alkylNR⁵(SO₂)NR⁵R⁶, OC₂₋₆alkyl(SO₂)R⁵, C₀₋₆alkyl(SO₂)R⁵, C₀₋₆alkyl(SO)R⁵, OC₂₋₆alkyl(SO)R⁵ and a 5- or 6-membered ring containing one or more atoms independently selected from the group consisting of C, N, O and S;

R⁵ and R⁶ are independently selected from, H, C₁₋₆alkyl, C₃₋₇cycloalkyl and aryl
 and salts and hydrates thereof
 m is selected from 1 or 2
 p is selected from 0, 1, 2, 3 or 4
 or a salt or hydrate thereof;

provided that the compound is not

1-(2-benzothiazolyl)-4-[[5-(5-methyl-2-furanyl)-2H-tetrazol-2-yl]acetyl]-piperazine,
 1-(4-acetylphenyl)-4-[[5-(5-methyl-2-furanyl)-2H-tetrazol-2-yl]acetyl]-piperazine, or
 5-(5-methyl-2-furanyl)-N-(2-phenyl-2H-benzotriazol-5-yl)-2H-tetrazole-2-acetamide.

2. A compound according to claim 1 wherein X₃ is N and X₄ is C.

3. A compound according to claim 1 wherein P is aryl.

4. A compound according to claim 3 wherein P is phenyl.

5. A compound according to claim 1 wherein R¹ is selected from halo, C₁₋₆alkyl, -OC₁₋₆alkyl, C₀₋₆alkylcyano.

6. A compound according to claim 5 wherein, R¹ is selected from Cl, F, cyano and methyl.

7. A compound according to claim 1 wherein X¹ is CR³R⁴.

8. A compound according to claim 7 wherein X^2 is selected from CR^3R^4 , O, S and NR^3 .
9. A compound according to claim 1 wherein Q is either selected from triazole and piperazine, or else Q is any other 4-, 5-, 6-, or 7-membered heterocyclic ring containing one or more heteroatoms selected from N, O and S and is fused to a triazole ring.
10. A compound according to claim 1 wherein Q is triazole.
11. A compound according to claim 1 wherein X^2 is a bond.
12. A compound according to claim 1 wherein Q is piperazine.
13. A compound according to claim 1 wherein Q is a 5-, 6-, or 7-membered heterocyclic ring, other than triazole or piperazine, and is fused to a triazole ring.
14. A compound according to claim 1 wherein R^2 is selected from the group consisting of C_{1-6} alkyl, C_{1-6} alkylhalo, C_{3-7} cylcoalkyl, C_{0-6} alkylaryl, C_{0-6} alkylheteroaryl, $O(CO)C_{1-4}$ alkyl.
15. A compound according to claim 1 wherein R^2 is a 5- or 6-membered ring containing one or more atoms independently selected from C, N, O and S, which ring may optionally be fused with a 5- or 6-membered ring containing one or more atoms independently selected from the group consisting of C, N and O and wherein said ring and said fused ring may be substituted by one or more A.
16. A compound according to claim 1 wherein A is selected from the group consisting of halo, $-OC_{1-6}$ alkyl, $C_{0-6}NR^5R^6$, C_{1-6} alkylhalo.
17. A compound according to claim 1 selected from:
- Ethyl 4-{{[2-(3-chlorophenyl)-2H-tetrazol-5-yl]methyl}piperazine-1-carboxylate,
- 4-[2-(5-Chloro-2-fluoro-phenyl)-2H-tetrazol-5-ylmethyl]-piperazine-1-carboxylic acid ethyl ester,
- 4-(2-m-Tolyl-2H-tetrazol-5-ylmethyl)-piperazine-1-carboxylic acid ethyl ester,
- 4-[2-(3-Iodo-phenyl)-2H-tetrazol-5-ylmethyl]-piperazine-1-carboxylic acid ethyl ester,
- 4-[2-(3-Cyano-phenyl)-2H-tetrazol-5-ylmethyl]-piperazine-1-carboxylic acid ethyl ester,
- 4-[2-(2-Fluoro-5-methyl-phenyl)-2H-tetrazol-5-ylmethyl]-piperazine-1-carboxylic acid ethyl ester,
- 4-[5-({[2-(3-chlorophenyl)-2H-tetrazol-5-yl]methyl}thio)-4-cyclopropyl-4H-1,2,4-triazol-3-yl]pyridine,
- 4-[5-({1-[2-(3-chlorophenyl)-2H-tetrazol-5-yl]ethyl}thio)-4-cyclopropyl-4H-1,2,4-triazol-3-yl]pyridine,
- Ethyl 4-{1-[2-(3-chlorophenyl)-2H-tetrazol-5-yl]ethyl}piperazine-1-carboxylate,
- 4-{5-[2-(5-Chloro-2-fluoro-phenyl)-2H-tetrazol-5-ylmethylsulfanyl]-4-methyl-4H-[1,2,4]triazol-3-yl}-pyridine,
- 4-{5-[2-(5-Chloro-2-fluoro-phenyl)-2H-tetrazol-5-ylmethylsulfanyl]-4-cyclopropyl-4H-[1,2,4]triazol-3-yl}-pyridine,

- 4-(5-{1-[2-(5-Chloro-2-fluoro-phenyl)-2H-tetrazol-5-yl]-ethylsulfanyl}-4-methyl-4H-[1,2,4]triazol-3-yl)-pyridine,
- 4-(5-{1-[2-(5-Chloro-2-fluoro-phenyl)-2H-tetrazol-5-yl]-ethylsulfanyl}-4-cyclopropyl-4H-[1,2,4]triazol-3-yl)-pyridine,
- 5 4-{1-[2-(5-Chloro-2-fluoro-phenyl)-2H-tetrazol-5-yl]-ethyl}-piperazine-1-carboxylic acid ethyl ester,
- 4-[4-Cyclopropyl-5-(2-m-tolyl-2H-tetrazol-5-yl)methylsulfanyl]-4H-[1,2,4]triazol-3-yl)-pyridine,
- 4-{4-Cyclopropyl-5-[1-(2-m-tolyl-2H-tetrazol-5-yl)-ethylsulfanyl]-4H-[1,2,4]triazol-3-yl}-pyridine,
- 10 4-{4-Methyl-5-[1-(2-m-tolyl-2H-tetrazol-5-yl)-ethylsulfanyl]-4H-[1,2,4]triazol-3-yl}-pyridine,
- 3-[5-(4-Cyclopropyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yl)sulfanylmethyl]-tetrazol-2-yl)-benzonitrile,
- 15 3-{5-[1-(4-Cyclopropyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yl)sulfanyl]-ethyl}-tetrazol-2-yl}-benzonitrile
- 3-{5-[1-(4-Methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yl)sulfanyl]-ethyl}-tetrazol-2-yl}-benzonitrile 4-{4-Cyclopropyl-5-[2-(2-fluoro-5-methyl-phenyl)-2H-tetrazol-5-yl)methylsulfanyl]-4H-[1,2,4]triazol-3-yl}-pyridine,
- 20 4-(4-Cyclopropyl-5-{1-[2-(2-fluoro-5-methyl-phenyl)-2H-tetrazol-5-yl]-ethylsulfanyl}-4H-[1,2,4]triazol-3-yl)-pyridine,
- 4-(5-{1-[2-(2-Fluoro-5-methyl-phenyl)-2H-tetrazol-5-yl]-ethylsulfanyl}-4-methyl-4H-[1,2,4]triazol-3-yl)-pyridine,
- Methyl-(4-methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yl)-(2-m-tolyl-2H-tetrazol-5-yl-methyl)-amine,
- 25 Methyl-(4-methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yl)-[1-(2-m-tolyl-2H-tetrazol-5-yl)-ethyl]-amine,
- [2-(3-Chloro-phenyl)-2H-tetrazol-5-ylmethyl]-methyl-(4-methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yl)-amine,
- 30 {1-[2-(3-Chloro-phenyl)-2H-tetrazol-5-yl]-ethyl}-methyl-(4-methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yl)-amine,
- [2-(2-Fluoro-5-methyl-phenyl)-2H-tetrazol-5-ylmethyl]-methyl-(4-methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yl)-amine,
- {1-[2-(2-Fluoro-5-methyl-phenyl)-2H-tetrazol-5-yl]-ethyl}-methyl-(4-methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yl)-amine,
- 35 [2-(3-Iodo-phenyl)-2H-tetrazol-5-ylmethyl]-methyl-(4-methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yl)-amine,
- {1-[2-(3-Iodo-phenyl)-2H-tetrazol-5-yl]-ethyl}-methyl-(4-methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yl)-amine,
- 40 Methyl-(4-methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yl)-(2-m-tolyl-2H-tetrazol-5-yl-methyl)-amine,

- Methyl-(4-methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yl)-[1-(2-m-tolyl-2H-tetrazol-5-yl)-ethyl]-amine,
[2-(3-Chloro-phenyl)-2H-tetrazol-5-ylmethyl]-methyl-(4-methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yl)-amine,
5 {1-[2-(3-Chloro-phenyl)-2H-tetrazol-5-yl]-ethyl}-methyl-(4-methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yl)-amine,
[2-(2-Fluoro-5-methyl-phenyl)-2H-tetrazol-5-ylmethyl]-methyl-(4-methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yl)-amine,
{1-[2-(2-Fluoro-5-methyl-phenyl)-2H-tetrazol-5-yl]-ethyl}-methyl-(4-methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yl)-amine,
10 8-[2-(3-Iodo-phenyl)-2H-tetrazol-5-ylmethyl]-3-pyridin-4-yl-5,6,7,8-tetrahydro-[1,2,4]triazolo[4,3-a]pyrimidine,
8-{1-[2-(3-Iodo-phenyl)-2H-tetrazol-5-yl]-ethyl}-3-pyridin-4-yl-5,6,7,8-tetrahydro-[1,2,4]triazolo[4,3-a]pyrimidine,
15 3-Pyridin-4-yl-8-(2-m-tolyl-2H-tetrazol-5-ylmethyl)-5,6,7,8-tetrahydro-4H-1,2,3a,8-tetraaza-azulene,
3-Pyridin-4-yl-8-[1-(2-m-tolyl-2H-tetrazol-5-yl)-ethyl]-5,6,7,8-tetrahydro-4H-1,2,3a,8-tetraaza-azulene,
8-[2-(3-Chloro-phenyl)-2H-tetrazol-5-ylmethyl]-3-pyridin-4-yl-5,6,7,8-tetrahydro-4H-1,2,3a,8-tetraaza-azulene,
20 8-{1-[2-(3-Chloro-phenyl)-2H-tetrazol-5-yl]-ethyl}-3-pyridin-4-yl-5,6,7,8-tetrahydro-4H-1,2,3a,8-tetraaza-azulene,
8-[2-(2-Fluoro-5-methyl-phenyl)-2H-tetrazol-5-ylmethyl]-3-pyridin-4-yl-5,6,7,8-tetrahydro-4H-1,2,3a,8-tetraaza-azulene,
25 8-{1-[2-(2-Fluoro-5-methyl-phenyl)-2H-tetrazol-5-yl]-ethyl}-3-pyridin-4-yl-5,6,7,8-tetrahydro-4H-1,2,3a,8-tetraaza-azulene,
8-[2-(3-Iodo-phenyl)-2H-tetrazol-5-ylmethyl]-3-pyridin-4-yl-5,6,7,8-tetrahydro-4H-1,2,3a,8-tetraaza-azulene,
8-{1-[2-(3-Iodo-phenyl)-2H-tetrazol-5-yl]-ethyl}-3-pyridin-4-yl-5,6,7,8-tetrahydro-4H-1,2,3a,8-tetraaza-azulene,
30 4-(5-{[2-(3-chlorophenyl)-2H-tetrazol-5-yl]methoxy}-4-methyl-4H-1,2,4-triazol-3-yl)pyridine,
4-(5-{1-[2-(3-chlorophenyl)-2H-tetrazol-5-yl]ethoxy}-4-methyl-4H-1,2,4-triazol-3-yl)pyridine,
35 4-[4-Methyl-5-(2-m-tolyl-2H-tetrazol-5-ylmethoxy)-4H-[1,2,4]triazol-3-yl]-pyridine,
4-{4-Methyl-5-[1-(2-m-tolyl-2H-tetrazol-5-yl)-ethoxy]-4H-[1,2,4]triazol-3-yl]-pyridine,
4-{5-[2-(2-Fluoro-5-methyl-phenyl)-2H-tetrazol-5-ylmethoxy]-4-methyl-4H-[1,2,4]triazol-3-yl}-pyridine,
40 4-(5-{1-[2-(2-Fluoro-5-methyl-phenyl)-2H-tetrazol-5-yl]-ethoxy}-4-methyl-4H-[1,2,4]triazol-3-yl)-pyridine,

- 4-{5-[2-(3-Chloro-phenyl)-2H-tetrazol-5-ylmethoxy]-4-cyclopropyl-4H-[1,2,4]triazol-3-yl}-pyridine,
4-(5-{1-[2-(3-Chloro-phenyl)-2H-tetrazol-5-yl]-ethoxy}-4-cyclopropyl-4H-[1,2,4]triazol-3-yl)-pyridine,
5 4-[4-Cyclopropyl-5-(2-m-tolyl-2H-tetrazol-5-ylmethoxy)-4H-[1,2,4]triazol-3-yl]-pyridine,
4-{4-Cyclopropyl-5-[1-(2-m-tolyl-2H-tetrazol-5-yl)-ethoxy]-4H-[1,2,4]triazol-3-yl}-pyridine,
4-{4-Cyclopropyl-5-[2-(2-fluoro-5-methyl-phenyl)-2H-tetrazol-5-ylmethoxy]-4H-[1,2,4]triazol-3-yl}-pyridine,
10 4-(4-Cyclopropyl-5-{1-[2-(2-fluoro-5-methyl-phenyl)-2H-tetrazol-5-yl]-ethoxy}-4H-[1,2,4]triazol-3-yl)-pyridine,
4-{5-[2-(3-Iodo-phenyl)-2H-tetrazol-5-ylmethoxy]-4-methyl-4H-[1,2,4]triazol-3-yl}-pyridine,
15 4-(5-{1-[2-(3-Iodo-phenyl)-2H-tetrazol-5-yl]-ethoxy}-4-methyl-4H-[1,2,4]triazol-3-yl)-pyridine,
4-{4-Cyclopropyl-5-[2-(3-iodo-phenyl)-2H-tetrazol-5-ylmethoxy]-4H-[1,2,4]triazol-3-yl}-pyridine,
4-(4-Cyclopropyl-5-{1-[2-(3-iodo-phenyl)-2H-tetrazol-5-yl]-ethoxy}-4H-[1,2,4]triazol-3-yl)-pyridine,
20 3-[5-(4-Methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yloxymethyl)-tetrazol-2-yl]-benzonitrile
3-{5-[1-(4-Methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yloxy)-ethyl]-tetrazol-2-yl}-benzonitrile,
25 3-[5-(4-Cyclopropyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yloxymethyl)-tetrazol-2-yl]-benzonitrile,
3-{5-[1-(4-Cyclopropyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yloxy)-ethyl]-tetrazol-2-yl}-benzonitrile,
3-(5-{[Methyl-(4-methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yl)-amino]-methyl}-tetrazol-2-yl)-benzonitrile,
30 3-(5-{1-[Methyl-(4-methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yl)-amino]-ethyl}-tetrazol-2-yl)-benzonitrile,
3-[5-(3-Pyridin-4-yl-6,7-dihydro-5H-[1,2,4]triazolo[4,3-a]pyrimidin-8-ylmethyl)-tetrazol-2-yl]-benzonitrile,
35 3-{5-[1-(3-Pyridin-4-yl-6,7-dihydro-5H-[1,2,4]triazolo[4,3-a]pyrimidin-8-yl)-ethyl]-tetrazol-2-yl}-benzonitrile,
3-[5-(3-Pyridin-4-yl-4,5,6,7-tetrahydro-1,2,3a,8-tetraaza-azulen-8-ylmethyl)-tetrazol-2-yl]-benzonitrile,
3-{5-[1-(3-Pyridin-4-yl-4,5,6,7-tetrahydro-1,2,3a,8-tetraaza-azulen-8-yl)-ethyl]-tetrazol-2-yl}-benzonitrile,
40 (R) & (S)-4-(5-{1-[2-(3-chlorophenyl)-2H-tetrazol-5-yl]ethoxy}-4-methyl-4H-1,2,4-triazol-3-yl)pyridine,

- 2-(3-chloro-phenyl)-5-[(triphenyl- λ^5 -phosphanyl)-methyl]-2H-tetrazole hydrobromide,
4-(5-{2-[2-(3-chloro-phenyl)-2H-tetrazol-5-yl]-vinyl}-4-ethyl-4H-[1,2,4]triazol-3-yl)-
pyridine,
4-(5-{2-[2-(3-chloro-phenyl)-2H-tetrazol-5-yl]-vinyl}-4-ethyl-4H-[1,2,4]triazol-3-yl)-
pyridine,
1-[2-(3-Chloro-phenyl)-2H-tetrazol-5-yl]-2-(4-cyclopropyl-5-pyridin-4-yl-4H-
[1,2,4]triazol-3-yl)-ethanol,
2-[2-(3-Chloro-phenyl)-2H-tetrazol-5-yl]-1-(4-cyclopropyl-5-pyridin-4-yl-4H-
[1,2,4]triazol-3-yl)-ethanol,
4-(5-{2-[2-(3-chloro-phenyl)-2H-tetrazol-5-yl]-vinyl}-4-ethyl-4H-[1,2,4]triazol-3-yl)-
pyridine,
3-[4-Methyl-5-({[2-(3-methylphenyl)-2H-tetrazol-5-yl]methyl}thio)-4H-1,2,4-triazol-
3-yl]benzonitrile,
5-({[5-(3,5-Difluorophenyl)-4-ethyl-4H-1,2,4-triazol-3-yl]thio}methyl)-2-(3-
methylphenyl)-2H-tetrazole,
3-[4-Methyl-5-({1-[2-(3-methylphenyl)-2H-tetrazol-5-yl]ethyl}thio)-4H-1,2,4-triazol-
3-yl]benzonitrile,
5-(1-({[5-(3,5-Difluorophenyl)-4-ethyl-4H-1,2,4-triazol-3-yl]thio}ethyl)-2-(3-
methylphenyl)-2H-tetrazole,
6-(4-{1-[2-(3-Chlorophenyl)-2H-tetrazol-5-yl]ethyl}piperazin-1-yl)nicotinonitrile,
3-(4-{1-[2-(3-Chlorophenyl)-2H-tetrazol-5-yl]ethyl}piperazin-1-yl)pyrazine-2-
carbonitrile,
2-(4-{1-[2-(3-Chlorophenyl)-2H-tetrazol-5-yl]ethyl}piperazin-1-yl)nicotinonitrile,
1-{1-[2-(3-Chlorophenyl)-2H-tetrazol-5-yl]ethyl}-4-(3-nitropyridin-2-yl)piperazine,
8-{1-[2-(3-Chlorophenyl)-2H-tetrazol-5-yl]ethyl}-3-(3,5-difluorophenyl)-5,6,7,8-
tetrahydro[1,2,4]triazolo[4,3-a]pyrimidine,
8-{1-[2-(3-Chlorophenyl)-2H-tetrazol-5-yl]ethyl}-3-(4-methoxyphenyl)-5,6,7,8-
tetrahydro[1,2,4]triazolo[4,3-a]pyrimidine,
3-(2-Chloro-6-methoxypyridin-4-yl)-8-{1-[2-(3-chlorophenyl)-2H-tetrazol-5-yl]ethyl}-
5,6,7,8-Tetrahydro[1,2,4]triazolo[4,3-a]pyrimidine,
8-{1-[2-(3-Chlorophenyl)-2H-tetrazol-5-yl]ethyl}-3-(2-methoxypyridin-4-yl)-5,6,7,8-
tetrahydro[1,2,4]triazolo[4,3-a]pyrimidine,
8-{[2-(3-Chlorophenyl)-2H-tetrazol-5-yl]methyl}-3-(2-methoxypyridin-4-yl)-5,6,7,8-
tetrahydro[1,2,4]triazolo[4,3-a]pyrimidine,

- 3-(5-{[3-(2-Methoxypyridin-4-yl)-6,7-dihydro[1,2,4]triazolo[4,3-a]pyrimidine-8(5H)-yl]methyl}-2H-tetrazol-2-yl)benzonitrile,
- 3-(2-Methoxypyridin-4-yl)-8-{1-[2-(3-iodophenyl)-2H-tetrazol-5-yl]ethyl}-5,6,7,8-tetrahydro[1,2,4]triazolo[4,3-a]pyrimidine,
- 5 3-(5-{1-[3-(2-Methoxypyridin-4-yl)-6,7-dihydro[1,2,4]triazolo[4,3-a]pyrimidin-8(5H)-yl]ethyl}-2H-tetrazol-2-yl)benzonitrile,
- 3-(5-{[3-(2-Methoxypyridin-4-yl)-5,6,7,8-tetrahydro-9H-[1,2,4]triazolo[4,3-a][1,3]diazepin-9-yl]methyl}-2H-tetrazol-2-yl)benzonitrile,
- 10 3-(5-{[3-(2,6-Dimethoxypyrimidin-4-yl)-6,7-dihydro[1,2,4]triazolo[4,3-a]pyrimidin-8(5H)-yl]methyl}-2H-tetrazol-2-yl)benzonitrile,
- (R) 3-(5-{1-[3-(2-Methoxypyridin-4-yl)-6,7-dihydro[1,2,4]triazolo[4,3-a]pyrimidin-8(5H)-yl]ethyl}-2H-tetrazol-2-yl)benzonitrile,
- (S) 3-(5-{1-[3-(2-Methoxypyridin-4-yl)-6,7-dihydro[1,2,4]triazolo[4,3-a]pyrimidin-8(5H)-yl]ethyl}-2H-tetrazol-2-yl)benzonitrile,
- 15 (R) Ethyl 4-{1-[2-(3-chlorophenyl)-2H-tetrazol-5-yl]ethyl}piperazine-1-carboxylate,
- (S) Ethyl 4-{1-[2-(3-chlorophenyl)-2H-tetrazol-5-yl]ethyl}piperazine-1-carboxylate,
- (R) Ethyl 4-{1-[2-(5-chloro-2-fluorophenyl)-2H-tetrazol-5-yl]ethyl}piperazine-1-carboxylate,
- (S) Ethyl 4-{1-[2-(5-chloro-2-fluorophenyl)-2H-tetrazol-5-yl]ethyl}piperazine-1-carboxylate,
- 20 (R) 6-(4-{1-[2-(3-Chlorophenyl)-2H-tetrazol-5-yl]ethyl}piperazin-1-yl)nicotinonitrile,
- (S) 6-(4-{1-[2-(3-Chlorophenyl)-2H-tetrazol-5-yl]ethyl}piperazin-1-yl)nicotinonitrile,
- (R) 3-(4-{1-[2-(3-Chlorophenyl)-2H-tetrazol-5-yl]ethyl}piperazin-1-yl)pyrazine-2-carbonitrile,
- 25 (S) 3-(4-{1-[2-(3-Chlorophenyl)-2H-tetrazol-5-yl]ethyl}piperazin-1-yl)pyrazine-2-carbonitrile,
- 4-(5-{(S)-1-[2-(3-Chloro-phenyl)-2H-tetrazol-5-yl]-ethoxy}-4-methyl-4H-[1,2,4]triazol-3-yl)-pyridine,
- 2-(3-Chloro-phenyl)-5-{(R)-1-[5-(3,5-difluoro-phenyl)-4-methyl-4H-[1,2,4]triazol-3-yloxy]-ethyl}-2H-tetrazole,
- 30 3-(5-{(R)-1-[2-(3-Chloro-phenyl)-2H-tetrazol-5-yl]-ethoxy}-4-methyl-4H-[1,2,4]triazol-3-yl)-pyridine,
- 4-(5-{2-[5-(3-Chlorophenyl)-2H-tetrazol-2-yl]propyl}-4-methyl-4H-1,2,4-triazol-3-yl)pyridine,
- 35 4-(5-{(R)-1-[2-(3-Chloro-phenyl)-2H-tetrazol-5-yl]-ethoxy}-4-methyl-4H-[1,2,4]triazol-3-yl)-pyridine,
- 2-(3-chlorophenyl)-5-[1-methyl-2-phenylvinyl]-2H-tetrazole, and
- 2-({1-[2-(3-chlorophenyl)-2H-tetrazol-5-yl]ethyl}thio)-imidazo[4,5-b]pyridine.
18. A pharmaceutical composition comprising as active ingredient a therapeutically effective amount of the compound according to any one of claims 1 to 17, in association with one or more pharmaceutically acceptable diluents, excipients and/or inert carriers.
- 40

19. The pharmaceutical composition according to claim 18, for use in the treatment of mGluR 5 mediated disorders.
- 5 20. The compound according to any one of claims 1 to 17, for use in therapy.
21. The compound according to any one of claims 1 to 17, for use in treatment of mGluR 5 mediated disorders.
- 10 22. Use of the compound according to any one of claims 1 to 17, in the manufacture of a medicament for the treatment of mGluR 5 mediated disorders.
23. A method of treatment of mGluR 5 mediated disorders, comprising administering to a mammal, including man in need of such treatment, a therapeutically effective amount of
15 the compound according to any one of claims 1 to 17.
24. The method according to claim 23, for use in treatment of neurological disorders.
25. The method according to claim 23, for use in treatment of psychiatric disorders.
20
26. The method according to claim 23, for use in treatment of chronic and acute pain disorders.
27. The method according to claim 23, for use in treatment of gastrointestinal disorders.
25
28. A method for inhibiting activation of mGluR 5 receptors, comprising treating a cell containing said receptor with an effective amount of the compound according to claim 1-17.